Saskatchewan
Ministry of
Agriculture

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report Number 26, September 29, 2008

Crop Report for September 28, 2008

Saskatchewan farmers have harvested 82 per cent of the 2008 crop, according to Saskatchewan Agriculture's weekly crop report, up from 67 per cent last week. Last year at this time, harvest progress stood at 87 per cent; the five-year average (2003-07) is 71 per cent harvested.

Harvest is furthest advanced in the northeast where 89 per cent of the crop is off, and is least advanced in the northwest where 67 per cent of the crop is off. Crops that were damaged by hail throughout the province continue to be slow to ripen, causing some delay in progress.

Harvest progress for the major crops shows spring wheat and durum at 83 per cent complete, canola at 79 per cent, and lentils and peas at 99 per cent.

During the past week, crop damage was mainly caused by wind, rain, and frost. Reporters raised concerns with sprouting and bleaching of crops. Migratory waterfowl and wild game also caused some crop damage.

Thirty-five per cent of the province's pastures are reported in good to excellent condition, down from 45 per cent at the end of August. While 82 per cent of the pastures have adequate water available for livestock, some reporters in the southern part of the province indicated that sloughs and dugouts are low or empty.

For further information contact:
Terry Bedard, P.Ag.
Agricultural Economist
Policy Branch
Ministry of Agriculture
306-787-5956

Available on the Ministry of Agriculture Internet site at: www.agriculture.gov.sk.ca

Please let us know if you no longer need to receive a printed copy.

1 Year Ago

Eighty-seven per cent of the crop had been harvested.

Grain dryers were running as good drying weather had not been readily available.

Crop damage was caused by flooding, frost, hail, water fowl, wild game, winds, and rain.

Sask. harvesting progress

	% this week	% last week
Winter wheat	99	98
Fall rye	99	99
Spring wheat	83	64
Durum	83	68
Oats	75	52
Barley	88	76
Triticale	95	93
Flax	32	16
Canola	79	58
Mustard	85	76
Sunflowers	19	19
Lentils	99	96
Peas	99	97
Canary seed	36	24
Chickpeas	53	32
Total	82	67

South eastern Saskatchewan (Crop Districts 1, 2, & 3ase)

South eastern harvesting progress	% this week	% last week
Winter wheat	99	99
Fall rye	100	100
Spring wheat	87	73
Durum	86	76
Oats	76	51
Barley	92	80
Triticale	75	65
Flax	39	19
Canola	84	69
Mustard	91	78
Sunflowers	22	22
Lentils	99	99
Peas	100	95
Canary seed	52	30
Chickpeas	65	59
Total	**83**	**70**

Weather in the south eastern region started off wet, but the weather became more settled, though windier as the week progressed. An average of 6 mm of precipitation was reported, with an average high of 11 mm in CD (Crop District) 2b. Upwards of 30 and 40 mm was received in an area north of Regina. Wind damage was reported across the region, with reports of damage mainly to canola and flax crops. Downgrading of crops, including bleaching and sprouting, were reported. Any barley combined in the Montmartre area in the last two weeks was grading feed because of sprouting. There was frost damage reported in the Montmartre and Marquis areas.

Eighty-three per cent of the 2008 south eastern crop has been combined and a further 13% is lying in the swath or is ready to be straight-combined. Grain has been placed on the ground in some areas because of lack of storage facilities.

Topsoil moisture on crop land is similar to last week with 81% of the crop land rated as having adequate moisture conditions. For hay and pasture land, 83% is rated as having adequate topsoil moisture, compared to 86% last week.

Fifty-four per cent of the south eastern pastures are rated in good to excellent condition, compared to 61% at the end of August.

Reporters indicate that 82% of the pastures in the region have adequate supplies of water for livestock. Crop District 2a has the highest rating of inadequate water supplies in the region with over one-third of the pastures short of water, and livestock owners are hauling water.

Insects reported included sawflies and grasshoppers. Current grasshopper numbers are leading to concerns for next year. Ergot was present in the Montmartre, Fillmore, Radville, and Ceylon areas. In the Montmartre area, much of the durum crop was downgraded as low as #5 CWAD because of ergot.

Farmers were spraying herbicides, baling, fencing, harrowing, hauling bales, moving grain, and baling slough hay.

There continued to be some seeding of fall crops. Emerging winter wheat in the Montmartre area is reported to look great.

South western Saskatchewan (CDs 3asw, 3an, 3b, & 4)

The southwest had a nice fall week, with cool nights and some wind and frost. An average of 3 mm of precipitation was reported, with an average high of 7 mm in CD 3asw. Over 25 mm was reported in the Rockglen area. Frost damage was reported in the Lisieux, Ponteix, and Vanguard areas. Wind caused damage in the Assiniboia, Viceroy, and Lafleche areas. Rain caused crop damage in the Fife Lake, Rockglen, Shaunavon, and Consul areas. Concern was expressed over lodging, sprouting, and bleaching.

South western harvesting progress	% this week	% last week
Winter wheat	99	99
Fall rye	100	99
Spring wheat	84	66
Durum	83	68
Oats	87	81
Barley	90	85
Triticale	97	97
Flax	46	21
Canola	98	86
Mustard	90	88
Sunflowers	50	0
Lentils	99	96
Peas	99	99
Canary seed	15	15
Chickpeas	43	21
Total	**87**	**75**

Eighty-seven per cent of the 2008 south western crop has been harvested and a further 9% is lying in the swath or is ready to be straight-combined. The Bengough area was experiencing above-average yields but below-average quality. The Rush Lake area is expecting a below-average crop with some quality problems. This week will mark eight weeks since some farmers in the Ponteix area started combining. Hailed re-growth is causing the delay for many. Others are waiting for green kochia to dry down before combining the crop.

Topsoil moisture conditions are similar to last week. Seventy-one per cent of the crop land and 59% of the hay and pastureland are rated as having adequate topsoil moisture.

Some farmers are buying lifters to help harvest the sawfly damaged wheat. Grasshoppers were eating emerging fall crops. Some re-seeding is expected to take place.

Pasture conditions in the southwest are better than they were in late August, with 43% of the reporters rating pastures as good to excellent, compared to 29% at the end of August. Some cattle are being let out into harvested fields.

Livestock water availability has dropped somewhat from late August. Reporters rate 63% of the pastures as having adequate water supplies, compared to 68% in late August. Some livestock owners are hauling water for their stock. Some are drilling wells. Snow is needed for spring run-off in many areas.

Farmers are spraying, hauling bales, burning and working sloughs, baling straw, moving grain, and cleaning corrals. Winter wheat has is emerging in the Bengough, Lafleche, Admiral, Maple Creek, and Burstall areas. Some farmers continue to seed fall rye and winter wheat.

East central Saskatchewan (Crop Districts 5 & 6a)

The east central region was moist at the beginning of the week, but good drying weather came later in the week. An average of 6 mm of precipitation was reported for the region, with an average high of 8 mm in CD 6a. Frost damage was reported in the Langenburg, Jedburgh, Foam Lake, and Semans areas. There was some wind damage, including scattering of swaths, in the Quill Lake area and throughout much of CD 6a. There was some spotty hail damage to crops in the Bulyea area. Reporters also indicated sprouting and bleaching.

East central harvesting progress

	% this week	% last week
Winter wheat	99	97
Fall rye	100	99
Spring wheat	82	60
Durum	83	52
Oats	73	46
Barley	90	77
Triticale	88	75
Flax	22	11
Canola	76	52
Mustard	76	65
Sunflowers	0	0
Lentils	98	93
Peas	99	97
Canary seed	38	9
Chickpeas	81	45
Total	**79**	**60**

Seventy-nine per cent of the 2008 east central crop has been harvested and a further 18% is lying in the swath or is ready to be straight-combined. Hail damaged crops continue to be slow to mature. In the Yorkton area, some pea crops were low yielding due to damage from the rains in August. In the Quill Lake area, grain was being put in storage bags and on the ground.

Area topsoils have dried since last week. Seventy-four per cent of the crop land and 57% of the hay and pasture land are rated as having adequate topsoil, compared with 86% and 68%, respectively, last week. In the Kelvington area, farmers are not applying fertilizer because the soil is too dry.

Crop damage came from migratory birds and wild game in the Ituna, Goodeve, Jedburgh, Lintlaw, and Nokomis areas. There was some ergot in wheat in the Allan area.

Pasture conditions in the east central region deteriorated from late August, with 28% of the pastures rated in good to excellent condition, compared to 46% at the end of August. Some cattlemen are moving their cows out to stubble fields.

Ninety-five per cent of the pastures have adequate water supplies for livestock.

Winter cereals were seeded in the Jedburgh area. Winter wheat was emerging in the Quill Lake and Holdfast areas. Fewer acres of winter wheat were planted in the Nokomis area due to the lateness of the canola harvest.

Farmers were baling, hauling bales, spraying, cutting wild hay, burning flax bales, moving grain, harrowing, and soil testing. Some grain had heated in storage in the Lumsden area.

West central Saskatchewan (Crop Districts 6b & 7)

West central harvesting progress

	% this week	% last week
Winter wheat	100	99
Fall rye	100	99
Spring wheat	84	61
Durum	81	62
Oats	80	54
Barley	87	73
Triticale	85	85
Flax	13	13
Canola	84	71
Mustard	75	54
Sunflowers	0	0
Lentils	98	95
Peas	99	96
Canary seed	26	26
Chickpeas	82	65
Total	**84**	**69**

The west central region was cooler at the beginning of the week and generally turned warmer and windier as the week

progressed. An average of 2 mm of precipitation was reported, with an average high of 4 mm in CD 6b. Wind damage was reported in the Hanley and Outlook areas. Frost damage was reported in the Biggar, Kerrobert, Tramping Lake, Cando, and Battleford areas. There was some hail damage in the Outlook area.

Eighty-four per cent of the 2008 west central crop has been harvested and a further 12% is lying in the swath or is ready to be straight-combined. Drying and curing of late and green crops is slow. Some farmers are running out of crop storage space in the Cando area.

Topsoil moisture conditions declined during the past week. Thirty-nine per cent of crop land is rated as having adequate topsoil moisture, compared with 54% last week. Thirty per cent of the hay and pasture land is rated as having adequate topsoil moisture, compared to 41% last week. Large cracks are showing up in the ground in the Biggar area.

Grasshoppers damaged fall-seeded crops in the Harris area. Ergot was found in wheat in the Harris and Luseland areas.

Pasture conditions in the west central region have deteriorated since late August, with 19% of the pastures rated as good to excellent, compared to 35% at the end of August. Some cattle are being fed on pastures in the Conquest area.

Livestock water availability has also deteriorated since the end of August. Currently, crop reporters indicate that 84% of pastures have adequate water supplies, compared with 92% a month earlier.

Farmers are hauling bales, weaning calves, spraying, baling, harrowing, and delivering grain where they can.

North eastern Saskatchewan (Crop Districts 8 & 9ae)

North eastern harvesting progress

	% this week	% last week
Winter wheat	99	98
Fall rye	99	98
Spring wheat	87	80
Durum	90	65
Oats	89	66
Barley	95	86
Triticale	90	60
Flax	34	14
Canola	89	61
Mustard	92	63
Sunflowers	n/a	n/a
Lentils	94	82
Peas	99	97
Canary seed	63	33
Chickpeas	n/a	n/a
Total	**89**	**72**

The north eastern region had a windy, sunny week. An average of 4 mm of precipitation was reported, with an average high of 8 mm in CD 9ae. Wind damage was reported in the Tisdale, Humboldt, Alvena, and Hoey areas, mostly to canola swaths.

Eighty-nine per cent of the 2008 north eastern crop has been combined and a further 10% is lying in the swath or is ready to be straight-combined. In the Porcupine Plain area, farmers have grain piled on the ground while waiting for faster movement of grain through the transportation system.

Topsoil moisture conditions have deteriorated during the past week. Thirty-two per cent of the crop land and 27% of the hay and pasture land were rated as having adequate topsoil moisture, compared with 55% and 43%, respectively, last week. Rain is needed in the Star City area for fall fertilizer application, weed spraying, and pastures.

Pasture conditions in the northeast region are poorer, with 20% of the pastures rated as good to excellent, compared to 53% at the end of August.

Livestock water availability is the same as late August, with almost all reporters rating water supplies as adequate.

Farmers were harrowing, baling straw, and spraying.

North western Saskatchewan (Crop Districts 9aw & 9b)

North western harvesting progress

	% this week	% last week
Winter wheat	99	98
Fall rye	100	100
Spring wheat	72	52
Durum	75	50
Oats	50	34
Barley	68	53
Triticale	25	10
Flax	15	15
Canola	58	33
Mustard	n/a	30
Sunflowers	n/a	n/a
Lentils	n/a	n/a
Peas	99	93
Canary seed	n/a	n/a
Chickpeas	n/a	n/a
Total	**67**	**47**

The north western region was cool and generally dry during the past week. An average of 1 mm of precipitation was reported. Frost damage was reported in the Radisson area, while wind damage was reported in the Radisson, Turtleford, and Rapid View areas.

Sixty-seven per cent of the

2008 north western crop has been harvested and a further 29% is lying in the swath or is ready to be straight-combined. Later crops are slow to cure with the cool temperatures. Some grain was piled on the ground in the Turtleford area due to better than expected yields and limited delivery opportunities.

Topsoil conditions are drier compared to last week. Fifty per cent of the crop land is rated as having adequate moisture, compared with 65% last week. For hay and pasture land, 39% is rated as having adequate moisture, compared to 52% last week. Dry conditions in the Glaslyn area make for a dangerous fire hazard situation. It is also very dry in the Duck Lake area.

Pasture conditions in the northwest region are poorer than they were in late August, with 15% of the pastures rated as good to excellent, compared with 50% a month ago.

Livestock water availability is also poorer than a month ago, with reporters indicating that 88% of pastures have adequate water supplies, compared with 94% in late August.

Farmers are baling straw and hauling bales. Seeding of winter wheat is almost complete in the Lloydminster area.

Growing Degree Days Above 5°C

calculations based on temperatures given by crop reporters

R.M.	Since April 1		Sep 21 - 27	Total
3	1570.5	*	54.5	1625
17A	1388	*	45.5	1433.5
38A			47.4	
38B			53.5	
43A	1701.45		50	1751.45
43B			46.15	
44	1441.35	*		1441.35
68	1766.2		57.05	1823.25
71		*	39.15	
72			43.85	
73B			50	
75B			50.65	
76A			50.4	
78A	1309	*	54	1363
97	1530.685		48.9	1579.585
109			48.5	
111A	1604.1	*	54	1658.1
123			43.5	
124			43.65	
127			43.3	
132		*	26.5	
138			46	
141			56.15	
151B	1358.35	*	40.9	1399.25
157			48.9	
166	1545.5	*	43.5	1589
167	1436.5	*	41.5	1478
185			43.25	
186			36.8	
190B			48.55	
193	1484.3	*	36.1	1520.4
221	1447.4	*	41.75	1489.15
222			48	
226			42	
246	1317.7		43.85	1361.55
252			43.05	
259			37.15	
271			35.5	
276			34.5	
277	1413.55	*	29.3	1442.85
283	1486.35	*		1486.35
285	1588.35		38.55	1626.9
312		*	23.15	
318A	1390.5	*	33.5	1424
336			38.5	
339	1355		38.25	1393.25
340A			33.5	
343	1507.95	*	41.15	1549.1
370			45	
379	1326.85	*	30.7	1357.55
397			32.5	
428			46.2	
429B	1324.5	*	32.5	1357
442	1306.5		25.5	1332
456	1152		26	1178
488			25.75	
496	1339	*	24.5	1363.5
502	1380		24.5	1404.5

* missing 1 to 7 days of data

A degree day is defined as a measure of the departure of temperature for a day from some reference temperature.

They are expressed in degrees of temperature. For plant growth, a base of 5°C is generally used, although the base varies for each plant species and, in fact, varies throughout the life of the plant from germination to maturity. By accumulating degree days throughout the growing season, it is possible to forecast harvesting dates.

Weekly Rainfall Summary

(in millimeters)

for the week ending September 27, 2008

Crop Dist.	No.	Municipality Name	Past Week	Since April 1
1A	1	Argyle	NIL	315
	2	Mount Pleasant	8	326
	3	Enniskillen	13	357
	33 A	Moose Creek	7	282
	33 B	Moose Creek	N/A	321*
	34	Browning	N/A	265*
	61	Antler	N/A	220*
	64	Brock	5	307
	65	Tecumseh	3	288
1B	91	Maryfield	NIL	376
	92	Walpole	5	331
	93	Wawken	NIL	335
	94	Hazelwood	N/A	376*
	95	Golden West	2	334
	121	Moosomin	6	432
	122	Martin	6	417
	123	Silverwood	NIL	301
	124	Kingsley	1	390
	125	Chester	3	323
	151 A	Rocanville	2	340
	151 B	Rocanville	2	342
	153	Willowdale	NIL	320
	154	Elcapo	1	417
	155	Wolseley	NIL	324
2A	36	Cymri	17	293
	66	Griffin	N/A	322*
	67	Weyburn	N/A	305*
	68	Brokenshell	13	287
	69	Norton	TR	318
	96	Fillmore	7	357
	97	Wellington	16	273
	99	Caledonia	N/A	258*
2B	126	Montmartre	18	392
	127	Francis	13	340
	129	Bratt's Lake	7	222
	131	Baildon	1	235
	156 A	Indian Head	2	288
	157	South Qu'appelle	15	280
	158	Edenwold	30	344
	160	Pense	NIL	258
	161	Moose Jaw	10	264
	191	Marquis	2	286
3ASE	9	Surprise Valley	TR	306
	38 A	Laurier	8	354
	38 B	Laurier	11	286
	39 A	The Gap	12	306
	39 B	The Gap	10	273
3ASW	10	Happy Valley	19	281
	12	Poplar Valley	7	308
	40	Bengough	N/A	288*
	42	Willow Bunch	18	274
	43 A	Old Post	26	269
	43 B	Old Post	14	223
	44	Waverley	N/A	269*
	70	Key West	NIL	275
	71 A	Excel	3	279
	71 B	Excel	NIL	287
	71 C	Excel	N/A	303*
	72	Lake Of The Rivers	2	243
	73 A	Stonehenge	NIL	263
	73 B	Stonehenge	NIL	297
	74	Wood River	NIL	54
3AN	101	Terrell	NIL	239
	102	Lake Johnston	2	213
	103	Sutton	NIL	270
	132	Hillsborough	2	247
	134	Shamrock	N/A	300*
	164	Chaplin	N/A	274*
	193	Eyebrow	1	265
	194	Enfield	NIL	257
3BS	17 A	Val Marie	3	356
	17 B	Val Marie	N/A	225*
	45	Mankota	2	298
	75 A	Pinto Creek	N/A	261*
	75 B	Pinto Creek	NIL	284
	76 A	Auvergne	1	265
	76 B	Auvergne	10	332
	77	Wise Creek	6	328
	78 A	Grassy Creek	5	389
	78 B	Grassy Creek	TR	312
	78 C	Grassy Creek	2	357
	105	Glenbain	TR	280
	106	Whiska Creek	NIL	298
	107	Lac Pelletier	NIL	269
	108	Bone Creek	1	427
3BN	138	Webb	NIL	366
	165	Morse	N/A	257*
	166	Excelsior	TR	352
	167	Sask. Landing	1	374
	168	Riverside	NIL	387
	226	Victory	2	234
	228 A	Lacadena	N/A	238*
	228 B	Lacadena	N/A	236*
	255	Coteau	N/A	178*
4A	49	White Valley	10	281
	49 A	White Valley	N/A	251*
	51	Reno	10	259
	79	Arlington	N/A	274*
	109	Carmichael	1	338
	110	Piapot	NIL	336
	111 A	Maple Creek	2	295
	111 B	Maple Creek	N/A	330*
4B	139	Gull Lake	NIL	316
	141	Big Stick	2	328
	142	Enterprise	NIL	311
	169	Pittville	N/A	293*
	231	Happyland	NIL	275
	232	Deer Forks	NIL	331
5A	183	Fertile Belt	N/A	360*
	184	Grayson	N/A	294*
	185	Mcleod	3	333
	186	Abernethy	7	300
	211	Churchbridge	NIL	337
	213	Saltcoats	NIL	287
	216 A	Tullymet	N/A	289*
	216 B	Tullymet	4	176
	241	Calder	3	317
	243	Wallace	6	353
	245 A	Garry	3	266
	245 B	Garry	NIL	296
	246	Ituna Bon Accord	12	272
	247	Kellross	9	293
	248	Touchwood	1	244
5B	271	Cote	3	271
	273	Sliding Hills	2	230
	275	Insinger	N/A	254*
	276	Foam Lake	3	336
	277	Emerald	13	277
	304	Buchanan	NIL	401
	307	Elfros	5	335
	308	Big Quill	N/A	140*
	333	Clayton	N/A	281*
	335	Hazel Dell	5	332
	336	Sasman	4	253
	337	Lakeview	10	237
	338	Lakeside	16	271
	366	Kelvington	1	269
	367 B	Ponass Lake	N/A	150*
6A	189	Lumsden	14	383
	190 A	Dufferin	17	264
	190 B	Dufferin	10	246
	190 C	Dufferin	9	296
	219 B	Longlaketon	15	278
	219 C	Longlaketon	12	282
	220	Mckillop	26	254
	221	Sarnia	14	292
	222	Craik	7	306
	251	Big Arm	9	294
	252	Arm River	13	231
	279 A	Mount Hope	5	307
	279 B	Mount Hope	1	228
	280	Wreford	4	284
	282	Mccraney	7	303
	309	Prairie Rose	NIL	301
	312	Morris	3	248
	313	Lost River	1	245
	339	Leroy	0	213
	340 A	Wolverine	1	251
	340 B	Wolverine	N/A	236*
	341	Viscount	NIL	223
	343	Blucher	1	271
6B	283	Rosedale	4	217
	284	Rudy	19	284
	285	Fertile Valley	2	217
	286	Milden	NIL	204
	314	Dundurn	N/A	234*
	344	Corman Park	NIL	151
	345	Vanscoy	1	218
	346	Perdue	5	241
	376 A	Eagle Creek	1	189
	376 B	Eagle Creek	3	191
	403	Rosthern	N/A	201*
7A	259	Snipe Lake	NIL	238
	287	St. Andrews	N/A	173*
	288	Pleasant Valley	N/A	191*
	292	Milton	N/A	322*
	317 A	Marriott	N/A	188*
	317 B	Marriott	TR	169
	318 A	Mountain View	1	246
	318 B	Mountain View	2	237
	320	Oakdale	1	290
	321	Prairiedale	NIL	318
7B	347 A	Biggar	3	251
	347 B	Biggar	NIL	192
	350 A	Mariposa	NIL	240
	350 B	Mariposa	2	226
	351	Progress	3	384
	352	Heart's Hill	NIL	379
	377	Glenside	5	224
	378 A	Rosemount	TR	215
	378 B	Rosemount	5	239
	379	Reford	TR	169
	380	Tramping Lake	N/A	183*
	381	Grass Lake	NIL	253
	382	Eye Hill	N/A	367*
	409	Buffalo	11	248
	410	Round Valley	NIL	208
	411	Senlac	N/A	354*
8A	395	Porcupine	8	217
	397	Barrier Valley	2	193
	398	Pleasantdale	9	192
	428	Star City	2	219
	456	Arborfield	2	262
	457	Connaught	8	148
	458	Willow Creek	N/A	155*
	486	Moose Range	3	228
	487	Nipawin	5	241
8B	369	St. Peter	6	161
	370	Humboldt	1	215
	371	Bayne	1	173
	372	Grant	N/A	187*
	373	Aberdeen	N/A	22*
	400	Three Lakes	N/A	242*
	402	Fish Creek	2	200
	429 A	Flett's Springs	1	137
	429 B	Flett's Springs	12	223
	431	St. Louis	3	198
	459	Kinistino	N/A	197*
9AE	488	Torch River	8	277
	520	Paddockwood	N/A	170*
9AW	405	Great Bend	N/A	115*
	406	Mayfield	2	217
	435	Redberry	2	292
	436	Douglas	1	166
	463	Duck Lake	NIL	222
	464	Leask	NIL	257
	466	Meeting Lake	NIL	227
	467	Round Hill	1	261
	493	Shellbrook	NIL	185
	494	Canwood	2	251
	496	Spiritwood	NIL	242
	497	Medstead	TR	266
	555	Big River	N/A	218*
9B	438	Battle River	3	210
	440	Hillsdale	N/A	246*
	442	Manitou Lake	2	286
	498 A	Parkdale	1	230
	498 B	Parkdale	1	215
	499	Mervin	2	293
	501 A	Frenchman Butte	2	222
	501 B	Frenchman Butte	TR	266
	501 C	Frenchman Butte	NIL	264
	502	Britannia	3	284
	561	Loon Lake	NIL	226
	588 A	Meadow Lake	N/A	180*
	588 B	Meadow Lake	3	234
	588 C	Meadow Lake	TR	325
	588 D	Meadow Lake	N/A	346*
	622	Beaver River	TR	163

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R.M.

* incomplete

Municipality No: A, B, C, and D - more than one reporter

Cumulative Rainfall
From: April 1, 2008
To: September 27, 2008



Pasture Conditions
September 28, 2008



Crop Districts
and
Rural Municipalities